

osmo-sip-connector - Feature #1964

osmo-sip-connector: Communicate the failure cause from MNCC to SIP

03/03/2017 01:22 PM - keith

Status: Closed	Start date: 03/03/2017
Priority: Normal	Due date:
Assignee: zecke	% Done: 0%
Category:	
Target version:	
Resolution: duplicate	
Description	
Bug report or feature request ?	
In sip.c:238, we respond SIP_486_BUSY_HERE on call failures. MNCC communicates to us useful information, as per isdn_cause struct defined in lcr's cause.c IIUC https://github.com/osmobuntu/lcr/blob/master/cause.c	
It'd be nice to implement this. <i>I tried to get the gsm_mncc object into sip_release_call() to access the gsm_mncc->cause but came up against my deficient knowledge of C. :(</i>	
Happy to help otherwise with the copy pasting :)	
Related issues:	
Is duplicate of osmo-sip-connector - Feature #1682: osmo-sip-connector: Add b...	In Progress 03/31/2016

History

#1 - 03/08/2017 08:15 AM - zecke

Do you mind if I merge this in to [#1682](#)?

#2 - 03/08/2017 09:14 AM - keith

Ah. Of course! didn't see it.

#3 - 03/08/2017 01:49 PM - zecke

- Status changed from New to Closed
- Resolution set to duplicate

Duplicate of [#1682](#)

#4 - 03/08/2017 01:50 PM - zecke

- Is duplicate of Feature #1682: osmo-sip-connector: Add better cause handling added

#5 - 03/17/2017 09:56 PM - laforge

- Project changed from OpenBSC to osmo-sip-connector