

OsmoBSC - Feature #3489

make MGW endpoint domain name part configurable

08/20/2018 08:54 PM - neels

Status: Resolved	Start date: 08/20/2018
Priority: Normal	Due date:
Assignee: neels	% Done: 100%
Category:	
Target version:	
Spec Reference:	
Description So far we create endpoints at the MGW using names like "1@mgw", i.e. with domain name "mgw". When connecting to an SCCPlite MSC, I find the MSC issuing a CRCX on endpoint " 1@172.31.49.100 " (the IP address osmo-mgw is bound to). The domain name used by MSC and osmo-bsc must be the same, so that they address the same endpoint, and osmo-mgw expects exactly one given domain name. osmo-mgw's domain name is configurable by 'mgcp' / 'domain NAME'. Add to osmo-bsc an 'msc 0' / 'mgw domain NAME' config item, so that it can be set to match the domain name the SCCPlite MSC sends.	
Related issues: Related to OsmoMGW - Feature #3490: Add config option to allow arbitrary doma... Resolved 08/20/2018	

History

#1 - 08/20/2018 09:47 PM - neels

- Related to Feature #3490: Add config option to allow arbitrary domain names in endpoints added

#2 - 08/20/2018 09:49 PM - neels

#3 - 11/22/2018 11:03 AM - laforge

- Assignee set to osmith

#4 - 02/11/2019 01:14 PM - osmith

- Status changed from New to In Progress

#5 - 02/11/2019 01:23 PM - osmith

- Status changed from In Progress to Resolved

- Assignee changed from osmith to neels

- % Done changed from 0 to 100

Oh, [neels](#) already implemented it: <https://gerrit.osmocom.org/#/c/osmo-mgw/+12357/>